
VEROTEX PRIMER P

PRODUCT DESCRIPTION

Primer for fabrics to be printed with pigment inks

APPLICATION FIELDS

PRIMER P can be used with all kind of fabric, natural or synthetic.

It ensures an excellent colour rendering, with good penetration and sharp outlines.

A proper colour calibration considerably improves colour fastness to washing and rubbing, compared to untreated fiber. It also reduces ink consumption.

GENERAL FEATURES

- Chemical composition: dispersion of polymers
- pH: 4 – 4,5
- Ionic character: cationic
- Appearance: light brown dispersion

HOW TO USE

PRIMER P is a concentrated dispersion that has to be used by padding, with a pick-up of 60-80%.

Recipe: Concentrated dispersion 120-150 g /
Water 880-850 g

Bath temperature 20-25°C

Drying at 110-115°C max for 2-3 minutes

AFTER PRINTING

To achieve best fastness, printed fabrics have to be treated as follows:

130°C for 3 minutes or

140°C for 2 minutes or

150°C for 1,5 minute

Although the prepared goods can be stored for relatively long periods, we suggest to print them within 2 weeks max.

PACKAGING

50 kg drum

IMPORTANT NOTE

The information given in this technical sheet is not intended to be exhaustive and any person, using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us to the suitability of the product for the intended purpose, does so at his own risk

While we endeavor to ensure that all advice we give about the product is correct, we have no control over either the quality or condition of the sub-strate or the many factors affecting the use and application of the product.

Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising from the performance of the product or for any loss or damage arising out of the use of the product.

The information contained in this sheet is subject to modification from time to time, according to made experience and to our policy of continuous product improvement