

DYE BLACK SP

PRODUCT DESCRIPTION

Dye inks for screen film printing, designed for Epson® printheads.

APPLICATION FIELDS

Dye Black SP are specially designed inks for printing on transparent foils treated for the screen engraving.

GENERAL FEATURES

- Deep black
- High density
- Optical density 4.6

SUBSTRATES

Transparent polyester film for screen application. Specially developed to be used with *FILM FOR BLACK* by Eptainks.

FINISHING

Dry at environmental temperature.

STORAGE & SHELF LIFE

The ink shall be stored at a temperature between 10° - 25°C, away from heat and direct sunlight.

If the ink is stored in different conditions, it is recommended to bring the product to the operating conditions of temperature and humidity for at least 24 hours before use.

Stored under correct conditions, the recommended shelf life is 12 months from production date.

CLEANING

To clean the hydraulic circuit of the plotter use exclusively *DEPCLEANER – VEROTEX CLEANER*, taking all necessary safety precautions: avoid contact with skin, wear safety gloves and glasses.

PRODUCT RANGE AND PACKAGING

1 Kg bottle.

CODE	DESCRIPTION
DEP510797K1	DYE BLACK SP

SPECIAL INSTRUCTIONS

It is always recommended to perform prints test on the substrates that you will use, to determine the best working procedure and to check the results.

Avoid contamination of the product, leaving open the packaging or mixing it with other inks / additives.

Request Material Safety Data Sheets, available for all products and always refer to it for all health, safety and environment issues.

The performance of the inks are closely tied to the type of plotter used and the printing modes used.

IMPORTANT NOTE

The information given in this technical sheet is not intended to be exhaustive and any person, using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us to the suitability of the product for the intended purpose, does so at his own risk.

While we endeavor to ensure that all advice we give about the product is correct, we have no control over either the quality or condition of the substrate or the many factors affecting the use and application of the product.

Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising from the performance of the product or for any loss or damage arising out of the use of the product.

The information contained in this sheet is subject to modification from time to time, according to made experience and to our policy of continuous product improvement