

# Water Based Inks



# **Texilac Discharge Series**

Code 1674--

#### PRODUCT DESCRIPTION

Two-component inks for discharge textile printing.

## **APPLICATION FIELDS**

Discharge textile printing. For ready-to-wear or pre-cut cotton articles, dyed with dischargeable dyes.

## **EQUIPMENT**

Indicated for using onto automatic, semi-automatic and manual machines.

#### **PRODUCT RANGE**

TEXILAC DISCHARGE LB Code 167462	<ul> <li>Very bright colours</li> <li>High opacity onto dark substrates</li> <li>Two-component ink: add 5% Texilac Corrodente PM</li> </ul>
TEXILAC DISCHARGE WHITE Code 167464	<ul> <li>High whiteness</li> <li>High opacity onto dark substrates         Two-component ink: add 5% Texilac Corrodente     </li> </ul>
TEXILAC CORRODENTE PM Code 167465	<ul> <li>Discharge agent</li> <li>Compatible with Texilac Discharge LB and Texilac Discharge White</li> <li>addition % = 5-8 %</li> </ul>
TEXILAC DISCHARGE LF Code 167469	<ul> <li>The printed article does not require washing before wearing</li> <li>Very bright colours</li> <li>Two-component ink: add 5% Texilac Corrodente LF</li> </ul>
TEXILAC CORRODENTE LF Code 167470	<ul> <li>Discharge agent</li> <li>Compatible with <i>Texilac Discharge LF</i></li> <li>addition % = 5%</li> </ul>





# Water Based Inks



## **SPECIAL INSTRUCTIONS**

- Always test the printing characteristics, before starting production.
- Always check curing conditions. The addition of additives could require higher temperature or longer time.

#### **WARNING**

This technical data sheet does not replace either the Safety Data Sheet or the specific Conformity Declaration. These documents may be required to our SHEQ (Product safety office), at the following e-mail address: <a href="mailto:safety@eptainks.com">safety@eptainks.com</a>

The technical data sheet does not relieve the printer, who remains the only responsible of the respect of the regulations, the specifications and the related required certifications of the finished items.

#### **IMPORTANT NOTE**

The information given in this technical sheet is not intended to be exhaustive and any person, using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us to the suitability of the product for the intended purpose, does so at his own risk.

While we endeavour to ensure that all advice, we give about the product is correct, we have no control over either the quality or condition of the substrate or the many factors affecting the use and application of the product.

Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage arising out of the use of the product.

The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development.

